






















Product	Render	Specification	Qt	Notes
WD1550		<p>D1 M3M2 P2 C11E S1E K1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3M2 stainless steel 304</p> <p>P2 anti slip & waterproof plywood</p> <p>C11E C11 colour variant, HDPE panels</p> <p>S1E Standard (HDPE, INOX)</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
0302S1		<p>M3 P1 C5HL6 S1H K23</p> <p>M3 stainless steel 304</p> <p>P1 HPL platforms</p> <p>C5HL6 C5 colour variant, HPL panels, steel rope braided with polypropylene (black)</p> <p>S1H Standard (HPL, INOX)</p> <p>K23 Anchoring in ground - 70 cm</p>	1	
0419-1		<p>M1 COL5L6L7 K29</p> <p>M1 powder galvanising & powder coating</p> <p>COL5L6L7 C11 colour variant, steel rope braided with polypropylene (black & blue & red)</p> <p>K29 Anchoring in ground - 100 cm</p>	1	
0416-1		<p>M1 COL6 K25</p> <p>M1 powder galvanising & powder coating</p> <p>COL6 C11 colour variant, steel rope braided with polypropylene (black)</p> <p>K25 Anchoring in ground - 80 cm</p>	1	
WD1581		<p>D1 M3M2 P2 C11EL5 S1E SF K1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3M2 stainless steel 304</p> <p>P2 anti slip & waterproof plywood</p> <p>C11EL5 C11 colour variant, HDPE panels, steel rope braided with polypropylene (blue)</p> <p>S1E Standard (HDPE, INOX)</p> <p>SF Standard flag/set of flags</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	

Product	Render	Specification	Qt	Notes
1713		<p>M1N1-W10M3-W8M2N8 powder galvanising & powder coating</p> <p>P1P5 platforms & chalkboard - HPL</p> <p>C11EL6 C11 colour variant, HDPE panels, steel rope braided with polypropylene (black)</p> <p>T3Y3Z11 AISI 304 screws, gray caps and plugs with Vinci logo</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
WD1420		<p>D1 M3 P2 L5L6 K1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3 stainless steel 304</p> <p>P2 anti slip & waterproof plywood</p> <p>L5L6 C11 colour variant, steel rope braided with polypropylene (blue & black)</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
RB1233		<p>D10 P10 C11HL8 T3-Z8 RB1 K29</p> <p>D10 robinia</p> <p>P10 Platform from robinia planks</p> <p>C11HL8 C11 colour variant, HPL panels, steel rope braided with polypropylene (beige)</p> <p>T3-Z8 AISI 304 screws, gray plugs with Vinci logo</p> <p>RB1 Set of tools for Robinia (4 pieces)</p> <p>K29 Anchoring in ground - 100 cm</p>	1	
WD1413		<p>D1 M3M2 P1P5 C9HL8 K1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3M2 stainless steel 304</p> <p>P1P5 platforms & chalkboard - HPL</p> <p>C9HL8 C9 colour variant, HPL panels, steel rope braided with polypropylene (beige)</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	

Product	Render	Specification	Qt	Notes
WD1506		<p>D1 M3M2 P2P6 C11EL5 S1ES13E K1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3M2 stainless steel 304</p> <p>P2P6 platforms & chalkboard - waterproof plywood</p> <p>C11EL5 C11 colour variant, HDPE panels, steel rope braided with polypropylene (blue)</p> <p>S1ES13E Standard (HDPE, INOX)</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
0801-1		<p>M5 C11E K1</p> <p>M5 hot dip galvanising (s)</p> <p>C11E C11 colour variant, HDPE panels</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
WD1562		<p>D1 C3H K1</p> <p>D1 impregnated laminated wood of pine</p> <p>C3H HPL panels C3</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
0409		<p>M5 P2 K1</p> <p>M5 hot dip galvanising</p> <p>P2 anti slip & waterproof plywood</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	2	
JT12 / 0415		<p>M1M2 P2 C13 L9.21 K25</p> <p>M1M2 powder galvanising & powder coating</p> <p>P2 anti slip & waterproof plywood</p> <p>C13 C13 colour variant</p> <p>L9.21 steel rope 21 r.m.</p> <p>K25 Anchoring in ground - 80 cm</p>	1	
0711		<p>M2 C0 K25</p> <p>M2 hot dip galvanising & powder coating</p> <p>C0 C11 colour variant</p> <p>K25 Anchoring in ground - 80 cm</p>	1	
1605		<p>M2G3 L6 K23</p> <p>M2G3 hot dip galvanising & powder coating</p> <p>L6 C3 colour variant, steel rope braided with polypropylene (black)</p> <p>K23 Anchoring in ground - 70 cm</p>	1	

Product	Render	Specification	Qt	Notes
1608		<p>M2G3 L6 K23</p> <p>M2G3 hot dip galvanising & powder coating</p> <p>L6 C3 colour variant, steel rope braided with polypropylene (black)</p> <p>K23 Anchoring in ground - 70 cm</p>	1	
1112		<p>M1 C13H N15N13 T3Z10 K3</p> <p>M1 powder galvanising & powder coating</p> <p>C13H C13 colour variant, HPL panels</p> <p>N15N13 C16 colour variant (khaki)</p> <p>T3Z10 AISI 304 screws, black HDPE plugs</p> <p>K3 Anchoring with plates - 5cm</p>	1	
0913		<p>M5 C11E K3</p> <p>M5 hot dip galvanising</p> <p>C11E C11 colour variant, HDPE panels</p> <p>K3 anchoring with plates - 5 cm</p>	9	
0910		<p>M1 C2E K1</p> <p>M1 powder galvanising & powder coating</p> <p>C2E C2 colour variant, HDPE panels</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	5	
CATALOGUE		<p>STANDARD 2024/25</p> <p>STANDARD 2024/25 Standard Catalogue 2024/25</p>	1	

CONSTRUCTION

D1 impregnated laminated wood of pine

M3 stainless steel 304

M1 powder galvanising & powder coating

D10 robinia

M5 hot dip galvanising

M2 hot dip galvanising & powder coating

PLATFORMS

P2 anti slip & waterproof plywood

P1 HPL platforms

SLIDE

S1E Standard (HDPE, INOX)

S1H Standard (HPL, INOX)

ANCHORING

K1 Anchoring in ground - 55 cm (standard)

K23 Anchoring in ground - 70 cm

K29 Anchoring in ground - 100 cm

K25 Anchoring in ground - 80 cm

K3 anchoring with plates - 5 cm

METAL PARTS OF WOODEN

M3 stainless steel 304

COLOUR

C13 C13 colour variant

C0 C11 colour variant

PANELS

C2E C2 colour variant, HDPE panels